

Product Description

RFID cable tie with tag is widely used in applications that requiring banding of goods. Tie tag part of the electronic label is in the bundled external position, not subject to the impact of material tied, can be easily bundled in the article's unique location. RFID cable tie tag is used for non-contact identification and fast authentication of strapped goods, in order to facilitate the item data information management, so that prepare for logistics tracking needs.


[RFID cable tie tag](#) features:


1. Waterproof, drop, anti-collision, can be used outdoors; dustproof and waterproof rating of IP65
2. Can be printed adhesive paper
3. To strengthen the management
4. The label part of the electronic label is in the bundled external position, not bound by the impact of material, stable reading, easy to use, resistant to moisture, high temperature, can be used for harsh environments.
5. The cable tie tag as the data carrier of the object, can through the non-contact space sensor conveniently, and it plays a role of logo identification, item screening, information collection, tracking traceability.

Product Specification

Item	RFID Cable Tie Tag
Material	ABS
Size	Band length: 325mm(L); label: 52mm(H)*27mm(W) or customized
Frequency	HF/UHF
Common chips	NTAG213, etc.
Application	Item Level Tagging Logistics Management Asset Management...
Place of Origin	Guangdong, China (Mainland)
Company Brand	Chuang Xin Jia
Minimum Order Quantity	500 pieces
Free Sample	Free samples are available for testing upon request.
Packaging details	100 pieces/bag, 600 pieces/carton, 7.5kg/carton, carton dimension: 407*242*339 mm for reference According to consumers requirements
Delivery Detail	Shipped in 1 day after payment
Factory experience	Established in 1999 , 17 years factory made us more professional.

Product Photo





one time use rfid cable tie with tag application

