



## NFC Smart Ring Specifications:

Chip:	N213/215/216, F08
Protocol:	ISO14443A/ISO15693
Antenna:	Copper antenna
Memory:	180 Bytes
Frequency:	13.56MHz
Material:	Titanium Steel
Write Endurance:	≥100000 cycles
Read Range:	10-30mm(depends on the reader and antenna)
Application:	Access Control, electronic name card, Program launcher, Payment function
Sample:	Free samples are available upon request

# Chuangxinjia NFC Ring Models



CXJ-T-J1 (Single NFC Chip)  
Semi ceramic +Epoxy Resin



CXJ-T-J2 (Dual NFC Chips)  
Semi ceramic +Epoxy Resin



CXJ-T-J3  
Semi ceramic +Carbon Fiber



CXJ-T-J4  
Semi ceramic + Ink Printing



CXJ-T-J5  
Pure ceramic



CXJ-T-J6  
Wood Material



CXJ-T-T7  
Custom Material

OEM/ODM available  
Support custom material and size .

Perimeter	5.3cm	5.6cm	5.9cm	6.2cm	6.5cm	6.8cm	7.1cm
Diameter	16.5mm	17.3mm	18.2mm	18.9mm	19.8mm	20.7mm	21.3mm
Size (US)	6	7	8	9	10	11	12





