

Factory Information


Factory Size:	3,000-5,000 square meters
Factory Country/Region:	Floor 2-4, E Building,Yongda Industrial Zone, No.14 Rongfu Road,Guanlan,Longhua New District,Shenzhen, 518110
No. of Production Lines:	6
Contract Manufacturing:	OEM Service Offered, Design Service Offered, Buyer Label Offered
Annual Output Value:	US\$50 Million - US\$100 Million



NFC Smart Card Specifications:

Product name:	NFC Smart Card
Material:	PVC, PET
Size:	85.5*54*0.84mm, customized size, non standard size
RFID chip:	LF/HF/UHF chip

Protocol:	ISO14443A, ISO15693, ISO7814, ISO7815, ISO18000-6C etc
Printing:	CMYK offset printing, digital printing, silk printing
Surface:	Glossy, matte, frosted finish
Crafts:	Number printing (Serial No & Chip UID etc), QR, Barcode etc Chip program/encode/lock/encryption will be available as well (URL ,TEXT ,Number and Vcard)
Application:	Ticketing, Health care, Travel, Access Control & Security, Time Attendance, Parking and Payment, Club/SPA Membership Management, Rewards and Promotion, etc
MOQ:	500pcs
Sample:	Free samples are available upon request



Chip type	Protocol	Capacity	Anti collision	Function
NTAG® 213	ISO14443A	180 Byte	NO	Read/write
NTAG® 215		540 Byte	NO	
NTAG® 216		924 Byte	NO	
NTAG® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Classic® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Classic® 4K		4KB	NO	
MIFARE Ultralight® EV1		640 Bit	NO	
MIFARE Ultralight® C		1184 Bit	NO	
MIFARE and MIFARE Classic® are registered trademarks of NXP B.V. and are used under license.				
MIFARE and MIFARE Ultralight® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Plus® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Plus® 2K		2KB	NO	
MIFARE Plus® 4K		4KB	NO	
MIFARE and MIFARE Plus® are registered trademarks of NXP B.V. and are used under license.				
MIFARE® DESfire® EV1 2K	ISO14443A	2KB	NO	Read/write
MIFARE® DESfire® EV1 4K		4KB	NO	
MIFARE® DESfire® EV1 8K		8KB	NO	
MIFARE® DESFire® are registered trademarks of NXP B.V. and are used under license.				
ICODE® SLIX	ISO15693	1KB	Yes	Read/write
ICODE® SLIX-S		2KB	Yes	
ICODE® SLIX-L		512 Bits	Yes	
ICODE® SLIX-M		1KB	Yes	
ICODE® are registered trademarks of NXP B.V. and are used under license.				



Magnetic stripe



Signature panel



Scratch panel



Variable barcode



Embossed number



QR code



Gold stamping



Silver stamping



Hologram logo



Glossy/Matte surface



Frosted surface



UV printing



Hole punch



Gold/Silver bottom



Die cut

