

Specifications:



Product name	pvc nfa tag with topz 512 chip
Material:	Paper, PET, PVC,
Size:	35*35mm or to be customized
Thickness	0.4-0.5mm or 0.8-1mm, or costomized
Working Frequency:	HF:13.56Mhz
Protocal:	HF:ISO14443A
Antenna:	Aluminum Etching
Chip:	NXP ultralight, NXP S50, ultralight C, Felica, desfire, Ntag 203
Memory	512 bits
Process:	Flip-chip bonded technique
Reading distance:	HF:3-10cm
Expected read/wtite cycles:	100,000 times
Crafts available	Printing, serial number, barcode, and so on
Packing	In roll or in single pieces, upon clients' request
Data Storage Time:	10 years
Application	NFC mobile payment, NFC electronic intelligence posters, Electronic ticket, production identification, NFC electronic sign in, Mobile name cards, library management, entrance access, or expense, and so on.

Detailed Images







Package Details



For Adhesive Sticker

Roll packing: 1000pcs/roll, 2000pcs/roll,
5000pcs per roll or customized

For Key tag, Wristband:

100pcs/opp bag,
10 bags in a carton box or customized

For Epoxy tag, PVC card:

100pcs/inner box,
20 or 30 inner boxes in a carton box
or customized

	Station Airport	Vehicle	Office	Store Restaurant	Theater Stadium
Area					
Usage of NFC Mobile phone	Pass gate Get information from Smart poster Pay bus/tax fare	Adjust seat position Open door Pay parking fee	Enter/exit office Exchange business card log in to PC Print using copier machine	Pay by credit card Get loyal point Get and use coupon Share information and coupon among users	Pass entrance Get event information
Service Industries	Mass transport Adertising	Public transport	Security	Banking Retail Credit card	Entertainment

If you want to know more or want to customize NFC Epoxy Tag products, please feel free to contact us: info@nfctagfactory.com