

RFID Promixity Card Features:

RFID Promixity Card are smart cards with a frequency of 125 KHz. [125khz RFID cards](#) have a read range of approximately 7-8 CM. Mainly used in access control, student cards, animal tracking, etc.

Radio waves transmit information between the contactless smart card and the card reader to complete read and write operations. Contactless smart cards have similar applications like contact smart cards but the transactions in between card and reader are very fast and convenient.

Use Our Contactless Smart Cards in Applications Like:

1. Micro-payment card
2. Physical and logical access control
3. Government and corporate identity cards
4. Automatic fare collection.
5. E-Passport



RFID Promixity Card Specifications:

Name:	RFID Card
Material:	PVC

Dimension:	ISO standard size CR80 85.5*54mm(3.375*2.125 inch) Custom size and shape is also available
Thickness:	CR 0.84mm (0.03inch or 30mil); 0.2-2mm is available
Card surface:	Glossy, matte or frosted
Printing:	CMYK full color offset printing, Digital printing
Craft option:	Barcode, magnetic stripe, inkjet number, thermal number, laser number, embossing, hot stamping, signature panel, glossy lamination, hologram, UV spot, golden or silver background, scratch off panel, hole punching etc, QR code printing
Application:	Club, visiting, promotion, advertising, enterprises, bank, traffic, insurance, super marketing, parking, school, access control, ect.
Sample:	Sample Available
Supply Ability:	40000000 Piece/Pieces per Month
Packaging Details:	OPP bag, white box, gift box, custom box, etc. White box 6*9.3*22.5cm, 250pcs/box; outer carton 13*23.5*50cm, 10 boxes/carton

RFID

contactless

Smart Card



RFID Promixity Card Detailed Images:







If you want to know more or want to customize RFID Promixity Card products, please feel free to contact us: info@nfctagfactory.com