




## Especificações do cartão de visita RFID PVC:

Material:	PVC/PET/PETG/ABS de alta qualidade
Superfície do cartão:	Acabamento brilhante/fosco/fosco
Dimensão Física:	85,5*54*0,76mm ou OEM
Peso do cartão:	5,5g/-0,5g
Temperatura de operação:	-20°C□60°C
Frequência:	13,56Mhz/125Khz/860-960Mhz
Cores disponíveis:	Sob demanda
Método de impressão disponível:	Offset/SilkScreen/Impressão Digital/Impressão UV
Cor de impressão:	Pode ser impresso em 1 a cores em ambos os lados, e também cores pantone ou cores de tela de seda
Trabalhos manuais:	Painel de assinatura, painel de arranhões, ponto uv Código de barras: CODE128, CODE39, EAN8, EAN13 etc. Hot stamping cor da folha de ouro/prata Números ou textos em impressão térmica/jato de tinta/em relevo/gravado a laser/impressão uv





A. ① Gold Color ② Laser Gold Stamping  
③ Gold hot Stamping



B. ① Silver Color ② Laser Silver Stamping  
③ Silver hot Stamping



C. ① EAN 13 Barcode ② Code 128 ③ Code 39  
④ QR Code ⑤ Card NO. & PIN Code  
⑥ Laser Code ⑦ Flat Code



D. ① Gold Magnetic Stripe  
② Black narrow Magnetic Stripe  
③ Silver Magnetic Stripe



E. ① 4428 Chip ② Large Convex Code  
③ Small Convex Code




F. ① 4442 Chip ② Gold Flat Code  
③ Gold Silk Screening ④ Silver Silk Screening



G. ① Silver drawbench ② Frosted UV



H. ① Pearlescent Color ② Anti-fake label  
③ RFID Chip



I. Embossed printing



J. Laser Material



K. ① Matt finish ② Gold drawbench  
③ UV vanish



L. ① Frosted finish ② Metal Label

