Informações de fábrica:

Tamanho de fábrica:	3.000-5.000 metros quadrados
País/região da fábrica:	Andar 2-4, Edifício E, Zona Industrial de Yongda, No.14 Rongfu Road, Guanlan, Longhua New District, Shenzhen, 518110
Nº de linhas de produção:	6
Fabricação por contrato:	Serviço OEM oferecido, serviço de design oferecido, etiqueta do comprador oferecida
Valor de produção anual:	US$ 50 milhões - US$ 100 milhões

Certificates & Rewards

Descrição do suporte do anel de dedo NFC:

Nome do Produto:	Suporte de anel de telefone NFC para compartilhamento de mídia social
Funções:	* Visite o URL de um site * Compartilhe um arquivo de texto * Emparelhe com um dispositivo Bluetooth * Inicie um aplicativo específico * Conecte-se a uma rede wifi com credenciais * Acione uma automação residencial inteligente * Ativar/desativar configurações do telefone (alarme, campainha, etc.) * Enviar mensagem SMS
Tamanho:	Dia25mm/30mm ou personalizado.
Impressão:	Impressão personalizada do LOGOTIPO 4C ou número de série, código QR
Antimetal:	Pode ser anti-metal ou normal
Controle de controle de qualidade:	100% inspecionar antes de embalar, inspecionar no local antes do envio

Chip type	Protocal	Capacity	Anti collision	Function
NTAG® 213	ISO14443A	180 Byte	NO	Read/write
NTAG® 215		540 Byte	NO	
NTAG® 216		924 Byte	NO	
NTAG® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Classic® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Classic® 4K		4KB	NO	
MIFARE Ultralight® EV1		640 Bit	NO	
MIFARE Ultralight® C		1184 Bit	NO	
MIFARE and MIFARE Classic® are registered trademarks of NXP B.V. and are used under license.				
MIFARE and MIFARE Ultralight® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Plus® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Plus® 2K		2KB	NO	
MIFARE Plus® 4K		4KB	NO	
MIFARE and MIFARE Plus® are registered trademarks of NXP B.V. and are used under license.				
MIFARE® DESfire® EV1 2K	ISO14443A	2KB	NO	Read/write
MIFARE® DESfire® EV1 4K		4KB	NO	
MIFARE® DESfire® EV1 8K		8KB	NO	
MIFARE® DESFire® are registered trademarks of NXP B.V. and are used under license.				
ICODE® SLIX	ISO15693	1KB	Yes	Read/write
ICODE® SLIX-S		2KB	Yes	
ICODE® SLIX-L		512 Bits	Yes	
ICODE® SLIX-M		1KB	Yes	
ICODE® are registered trademarks of NXP B.V. and are used under license.				

Product Display

Epoxy

Regular