Характеристики RFID-браслетов из ПВХ:

RFID ПВХ браслеты доступны в неоновых цветах, однотонных цветах, а также с предварительно напечатанным уникальным дизайном. Если вы хотите создать свои собственные браслеты, мы также предлагаем индивидуальные RFID-браслеты из ПВХ, на которых можно напечатать. Они также водонепроницаемы, что делает их идеальными для мероприятий у бассейна на курортах и в отелях.
RFID-браслеты из ПВХ — отличный выбор для клубов, фестивалей или любого однодневного мероприятия.

Технические характеристики RFID-браслетов из ПВХ:

Материал:	Пластик
Ремесло:	Штрих-код, QR, логотип, текст
RFID-чип:	13,56 МГц ВЧ, 860–920 МГц УВЧ-чип
Печать:	CMYK, цифровая и шелкография.

Персонализация:	логотип, цвет, QR, штрих-код
Тип:	новинка 2018 года
Тип закрытия:	Один раз
МОК:	500 шт.
Приложение:	Контроль доступа
Возможность поставки:	300000 шт./шт. в неделю. У нас достаточно запасов RFID-браслетов каждый месяц.
Детали упаковки:	100 шт в пакете OPP, 5000 шт в коробке. Около 20 кг в коробке.

Какой RFID-чип вы можете выбрать? Пожалуйста, проверьте список ниже! Если вам нужны другие чипы RFID, пожалуйста, отправьте нам запрос: info@nfctagfactory.com

Chip type	Protocal	Capacity	Anti collision	Function
NTAG® 213	ISO14443A	180 Byte	NO	Read/write
NTAG® 215		540 Byte	NO	
NTAG® 216		924 Byte	NO	
NTAG® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Classic® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Classic® 4K		4KB	NO	
MIFARE Ultralight® EV1		640 Bit	NO	
MIFARE Ultralight® C		1184 Bit	NO	
MIFARE and MIFARE Classic® are registered trademarks of NXP B.V. and are used under license.				
MIFARE and MIFARE Ultralight® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Plus® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Plus® 2K		2KB	NO	
MIFARE Plus® 4K		4KB	NO	
MIFARE and MIFARE Plus® are registered trademarks of NXP B.V. and are used under license.				
MIFARE® DESfire® EV1 2K	ISO14443A	2KB	NO	Read/write
MIFARE® DESfire® EV1 4K		4KB	NO	
MIFARE® DESfire® EV1 8K		8KB	NO	
MIFARE® DESFire® are registered trademarks of NXP B.V. and are used under license.				
ICODE® SLIX	ISO15693	1KB	Yes	Read/write
ICODE® SLIX-S		2KB	Yes	
ICODE® SLIX-L		512 Bits	Yes	
ICODE® SLIX-M		1KB	Yes	
ICODE® are registered trademarks of NXP B.V. and are used under license.				

RFID-браслеты из ПВХ Подробные изображения:

Applications

- ★Bars, Concerts & Nightclubs
- ★Fairs, Festivals & Carnivals
- ★Hotels, Resorts & Cruise Lines
- ★Water, Theme & Amusement Parks
- ★Science Centers, Zoos & Aquariums
- ★Racing, Bowling & Sporting events
- ★For Help of Lost Kids
- ★For Identification of Puppies



1号


210mm
35mm
14mm
RFID

2号


250mm
30mm
14mm
RFID

3号


250mm
30mm
14mm
RFID

4号

300mm
32mm
RFID

5号


245mm
51mm
26mm
RFID